

System5000
with
Lap Mode

Electrosurgical Generator
System5000

GENERAL

LAP

 **Autonomy**
Achieve Pure Laparoscopic Performance
LAPARO-ANGLE

Full Accessibility,
Effective Control of Motion

 **KOBAYASHI Medical Co., Ltd.**




The IFSO-APC & JSSO Congress 2011



IFSO: International Federation of Surgery for Obesity
APC: Asia Pacific Chapter
JSSO: Japanese Society for the Surgery of Obesity and Metabolic Disorder

**“Multidisciplinary Therapy -
Key to Success of Surgical Treatment for
Morbid Obesity”**



Isao Kawamura M.D., Ph.D.
IFSO - APC President



Iwao Sasaki M.D., FACS
JSSO President

February 22-25, 2011

RUSUTSU RESORT, Rusutsu, Hokkaido, JAPAN



echelonflex[®]
ENDOPATH[™] STAPLER



Welcome Remarks

Almost 60 years have passed since the surgical treatment of obesity was introduced. Now the number of surgeries for obesity reaches 340,000 a year worldwide. Although the history of the surgery for obesity is relatively long, it is mostly over the last decade, that the operation has been widely practiced. This is thought to be the result of the increase in the number of patients suffering from morbid obesity and the advances in laparoscopic surgery. The consequence of morbid obesity is not only due to its seriousness but also its difficulty of treatment. The International Federation of Surgery for Obesity (IFSO) has been widely recognized for sharing the leading role to collect scientific and clinical data. IFSO, created four regional committees: the IFSO North America Chapter (ASMBS), the IFSO Latin American Chapter, the European Chapter and the Asia-Pacific Chapter (IFSO-APC), to expand its capability to play an increasingly crucial role. The IFSO-APC was established 2 years ago and convenes at an international congress every two years.

In 2011, we invite you to join us as we enjoy the winter season in Hokkaido, the most northern part and one of the most attractive areas of Japan. The convention center, Rusutsu Resort Hotel & Convention, is known for international conventions, including being used as the press center at the SUMMIT meeting. We will provide you with the most sophisticated and dedicated facilities, circumstances, environments, and meals.

Lastly, as the main theme of the congress is "Multidisciplinary Therapy – Keys to Success of Surgical Treatment for Morbid Obesity," we would like to introduce this congress to surgeons, surgical staff, all medical personnel related to obesity treatment as well as psychiatrists, anesthesiologists, nurses, nutritionists, and exercise therapists to join our discussion.

Isao KAWAMURA, M.D., Ph.D.
President
IFSO-APC

Currently, bariatric surgery is becoming the most powerful and popular treatment for severe obesity worldwide. More than 300,000 surgeries are performed each year in countries outside of Japan. However, despite a 30-year history of this surgery in Japan, compared to western countries, this treatment is not well known and there have been fewer cases of bariatric surgery for severe obesity patients. Yet, as the "metabolic syndrome" becomes a social focus, the Japanese are also turning to these surgeries as a solution to severe obesity problems.

Let's find a solution together. The goal of both The Japanese Society for Surgery of Obesity and Metabolic Disorders (JSSO) and The Japanese Society for Treatment of Obesity (JSTO) is to combine the knowledge of surgeons and other specialized medical professionals in order to find a more comprehensive solution.

We are pleased to announce that the IFSO-APC will be held together at Rusutsu Resort and Hotel in Rusutsu, Hokkaido in February, 2011. It is our hope that IFSO-APC members from around the world, as well as any interested medical professionals will attend this meeting.

We look forward to lively and productive discussions.

Iwao SASAKI, M.D., Ph.D.
President
JSSO

Local Organizing Committee

Isao Kawamura, Japan (FSO-APC President)
 Iwao Sasaki, Japan (JSSO President)
 Kazunori Kasama, Japan (Secretary General)
 Takeshi Naitoh, Japan (Secretary General)
 Yutaka Atomi, Japan
 Yuichiro Doki, Japan
 Akeo Hagiwara, Japan
 Fumihiko Hatao, Japan
 Hideki Hayashi, Japan
 Yoshinori Hosoya, Japan
 Eiji Kanehira, Japan
 Yoshimochi Kurokawa, Japan
 Hisahiro Matsubara, Japan
 Seiki Matsuno, Japan
 Toshiyuki Mori, Japan
 Shinichi Okazumi, Japan
 Takashi Oshiro, Japan
 Yasushi Saito, Japan
 Akira Sasaki, Japan
 Yosuke Seki, Japan
 Yasuyuki Seto, Japan
 Chikashi Shibata, Japan
 Kohji Shirai, Japan
 Nobumi Tagaya, Japan
 Masao Tanaka, Japan
 Toru Tani, Japan
 Takeshi Togawa, Japan
 Go Wakabayashi, Japan
 Masahiko Watanabe, Japan
 Hiroshi Yamamoto, Japan
 Katsuhiko Yanaga, Japan

International Organizing Committee

Harry B. Frydenberg, Australia
 Lilian Kow, Australia
 Ken Loi, Australia
 Joel Faintuch, Brazil
 Fred Zheng, China
 Wilfred Mui, Hong-Kong
 Sanjay Borude, India
 Pradeep Chowbey, India
 Ramen Goel, India
 Aparna Govil, India
 Muffazal Lakdawala, India
 Mahendra Narwaria, India
 Shashank S.Shah, India
 Suren Ugale, India
 Barlian Sutedja, Indonesia
 Seiichi Kitahama, Japan
 Sang Moon Han, Korea
 Kyung Yul Hur, Korea
 Hong Chan Lee, Korea
 Sang Kuon Lee, Korea
 Kin-Fah Chin, Malaysia
 Saeed Qureshi, Pakistan
 Hildegardes C. Dineros, Philippines
 Ahmed Al Gaizaie, Saudi Arabia
 Sultan Al Temyatt, Saudi Arabia
 Anton Cheng, Singapore
 Davide Lomanto, Singapore
 Shanker Pasupathy, Singapore
 Chih-Kun Huang, Taiwan
 Wei-Jei Lee, Taiwan
 Marcelo Chi-Hsien Lo, Taiwan
 Paisal Pongchairerks, Thailand
 Suthep Udomsawaengsup, Thailand
 Alper Celik, Turkey
 Rolf Hartung, UAE
 Girish Juneja, UAE

Invited Faculty

Wendy Brown, Australia
 Benjamin Woolven, Australia
 Karl Miller, Austria
Michel Gagner, Canada
 Jayashree Todkar, India
 Alfred Allen Buenafe, Phillipine
 Jimmy So Bok Yan, Singapore
 Kong-Han Ser, Taiwan
 Weu Wang, Taiwan
Sayed Ikramuddin, USA
 Masaki Endo, Japan
 Yusuke Hada, Japan
 Susumu Inamine, Japan
 Atsunori Kashiwagi, Japan
 Eri Kikkawa, Japan
 Takahiro Kinoshita, Japan
 Satoshi Maegawa, Japan
 Takayuki Masaki, Japan
 Shozo Mori, Japan
 Tetsuya Nakazato, Japan
 Masayuki Ohta, Japan
 Atsuhiro Saiki, Japan
 Masuomi Tomita, Japan
 Satoshi Ugi, Japan
 Yoshikazu Yonei, Japan

Distinguished Faculty


Michel Gagner is now Professor of Surgery in Montreal, Canada after unbelievably outstanding experiences in Canada and the U.S. Dr. Gagner is known for his contributions in the field of Minimally Invasive Surgery, in particular a large number of firsts including the first description of laparoscopic adrenalectomy for Cushing syndrome and pheochromocytoma in 1992 and description of laparoscopic duodenal switch for obesity in 1999. He was co-surgeon for the first World transatlantic robotic cholecystectomy, between New York City and Strasbourg, France. He has over 250 published journal articles, 40 book chapters and 6 books on Minimally Invasive Surgery. He has been visiting professor and operated in over 60 institutions in 48 countries. He has held prominent positions in more than 35 societies and organizations. He has been on the editorial boards of 12 surgical journals. Dr. Gagner has also received a number of honorary memberships and awards throughout his career. His most recent contributions focus on innovative upper digestive tract surgery like bariatric and endoluminal gastric procedures.



Sayed Ikramuddin is Professor of Surgery in the Division of Gastrointestinal Surgery at the University of Minnesota. He is also the department's Director of Bariatric Surgery and Co-Director of Minimally Invasive Surgery. He completed his medical degree at Albany Medical College in New York, followed by a residency in General Surgery at the State University of New York, Syracuse. Dr. Ikramuddin completed fellowships at Ohio State University in minimally invasive surgery and at the University of Pittsburgh in minimally invasive foregut surgery. He was an Assistant Professor of Surgery at the University of Pittsburgh in the Division of Minimally Invasive Surgery; was on staff at the University of Pittsburgh Medical Center; and was Chief of General Surgery at the VA Medical Center in Pittsburgh until his recruitment to the University of Minnesota in 2001. His principle clinical focus is metabolic/bariatric surgery, minimally invasive surgery, and robotic surgery. He has numerous ongoing clinical studies including studying newer less invasive approaches to gastrointestinal surgery and studying the impact of bariatric surgery on type 2 diabetes.



Rusutsu Resort MICE



Registration Fee

	ADVANCE REGISTRATION (On or Before Jan. 21, 2011)	LATE REGISTRATION (On or After Jan. 22, 2011 until Feb. 18, 2011)	ON-SITE REGISTRATION (On or After Feb. 19, 2011)
Doctor	JPY 30,000	JPY 40,000	JPY 45,000
Co-Medical	JPY 15,000	JPY 20,000	JPY 25,000
Accompanying person	JPY 10,000	JPY 10,000	JPY 10,000

Gala Dinner

Date: Feb. 24 (Thu.)
Venue: Crescent Hall, North Wing

Gala Dinner Fee

JPY 7,000 per person

Precongress Course

Laparoscopic Advanced Suturing and Anastomosis Hands-on Course

Date and Time: Feb. 22 (Tue.) 13:00-17:00
Seats: 30 Surgeons (two surgeons per one unit) *The seats are limited

Post-graduate course for Allied health professionals

Date and Time: Feb. 22 (Tue.) 14:00-17:00
Seats: 30 *The seats are limited


Course Fee

Hands-on Course	<p>JPY 10,000 per person (including individual 3-D Pad) *Participants must register for IFSO-APC & JSSO Congress 2011</p>
Post-graduate Course	<p>Free *Participants must register for IFSO-APC & JSSO Congress 2011</p>

Notes and Instructions on Presentations


Please read this carefully and follow the notes and instructions below.

You can only use Microsoft PowerPoint for your presentations.
Please bring your presentation data in a USB memory stick.
A PowerPoint-installed PC will be provided at each conference room.



PC Systems provided at the Conference Rooms are:

- Operating system: Windows XP SP2
- Microsoft PowerPoint: 2003 and 2007



We do not provide PCs with Windows Vista/7 nor Macintosh computers. You have to bring in your own computer if you want to use one of these systems. Bring in a VGA compatible, 15-pin D-sub interface as well, if you are to use a Mac. Do not forget to save your presentation data as PowerPoint 2007 (if you are using PowerPoint 2010).

If you will present videos, place your video and PowerPoint files all in the same folder to ensure proper links between them. You have to employ a file format playable on Windows Media Player. We strongly recommend using the Windows Media Video (WMV) format. Audio Video Interleaving (AVI) format may not be playable on our system depending on specific AVI CODEC you use. We recommend you to bring in your own PC to play it safe if you are going to present videos.

Rename your PowerPoint file as "Session's Title_Presenter's Name" and submit it along with other necessary files to "Reception Desk for Presentation Data" at least one hour prior to your presentation. All data copied onto our PCs will be properly discarded after the congress.

Day 1

2011.02.22

Day 2

2011.02.23

Hall #18

Advanced Suturing Hands-on Course

"Acquisition of Laparoscopic Advanced Suturing and Anastomosis Skills of GI Tract"

13:30-17:30

Special Instructor :
Nilton Tokio Kawahara, MD (Brazil)

Instructor :
Eiji Kanehira, MD; Takeshi Naitoh, MD; Kazunori Kasama, MD;
Susumu Inamine, MD; Takahiro Kinoshita, MD; Yosuke Seki, MD

Hall #3

Post-graduate Course for Allied Health Professionals

14:00-17:00

- Lilian Kow, MD
"Preoperative Treatment with Very Low Calorie Diet"
 - Nick Wray, RD
"Optimising Nutrition after Bariatric Surgery"
 - Wendy Brown, MD
"Multidisciplinary Approach in Adolescent Bariatric Surgery"
 - Kong-Han Ser, MD
"Taiwan's Experience of Multidisciplinary Approach in Bariatric Surgery"
- Japanese speaker session ——
- Atsuhito Saiki, MD
"Obesity Conference; Understanding of Psychological Aspects of Obese Patients are essential for good follow-up after Bariatric Surgery"
 - Eri Kikkawa, RD
"The Role of the Dietitian in Bariatric Surgery Team"
 - Tetsuya Nakazato, MSW
"Psycho-Social Approach by the Social Worker for Bariatric Patients in Japan : A Model to ensure the success of Bariatric Surgery"
 - Takashi Oshiro, MD
"A Multidisciplinary Approach to Obesity Treatment"

Hall #18

Opening Ceremony

7:00-7:30

Iwao Sasaki, President, JSSO

Plenary session : Top 5 Papers

7:30-8:30

- Moderator:
Sanjay Borude (India)
Hisahiro Matsubara (Japan)
- Speaker:
- Jih-Hua Wei (Taiwan)
"Diabetes Control and Lessened Cerebral Cardiovascular Risks after Gastric Bypass Surgery in Asian Taiwanese with a Body Mass Index <35 kg/m²"
 - Yosuke Seki (Japan)
"Prevalence of Nonalcoholic Steatohepatitis (NASH) in Morbidly Obese Japanese Patients who underwent Bariatric Surgery"
 - Chih-Kun Huang (Taiwan)
"The Feasibility: SILS port Roux-en-Y Gastric Bypass for Low BMI Diabetes Mellitus"
 - Ramen Goel (India)
"Early Resolution of Type 2 Diabetes Mellitus by Laparoscopic Ileal Transposition with Sleeve Gastrectomy Surgery in 23 to 35 BMI Patients"
 - Praveen Raj (India)
"Is Laparoscopic Duodenojejunal Bypass with Sleeve an Effective Alternative to Ro-En-Y Gastric Bypass: A Randomized Trial"

Symposium 1

8:30-11:30

"All About Sleeve Gastrectomy"

Moderator:
Michel Gagner (USA)
Go Wakabayashi (Japan)

Keynote Lecture:

- Michel Gagner (USA)
"Overview of Laparoscopic Sleeve Gastrectomy (LSG)"

Panelist:

- Muffazal Lakdawala (India)
"Rise of Sleeve gastrectomy in Asia"
- Sang Moon Han (Korea)
"Long term results of laparoscopic sleeve gastrectomy for Korean"

8:30-11:30	<ul style="list-style-type: none"> ■ Ken Loi (Australia) "Sleeve Gastrectomy in Banding country" ■ Masayuki Ohta (Japan) "Laparoscopic Sleeve Gastrectomy in Japan" ■ Leon Cohen (Australia) "Update in the outcomes of over 800 Sleeve Gastrectomies with 6 years of followup" ■ Chih-Kun Huang (Taiwan) "Single Incision Transumbilical Laparoscopic Sleeve Gastrectomy (SITU-LSG), How I Do it?" ■ Hiroshi Yamamoto (Japan) "Possible mechanisms of rapid improvement of Glucose Tolerance and Insulin Secretion after Laparoscopic Sleeve Gastrectomy (LSG)" ■ Akira Sasaki (Japan) "Complications after Laparoscopic Sleeve Gastrectomy for Morbid Obesity" ■ Shashank S.Shah (India) "Is LSG perfect for Asian" <p style="text-align: center;">——— Coffee break ———</p> <p>Debate "Can sleeve replace bypass?" Pros: Michel Gagner (USA) Cons: Sayeed Ikramuddin (USA)</p>
11:30-12:00	<p>Presidential Address Moderator: Harry Frydenberg (Australia)</p> <p>Speaker: ■ Isao Kawamura (Japan) "The Role of IFSO-APC"</p>
12:00-13:00	<p>Luncheon Seminar 1 Sponsored by Chugai Pharmaceutical Co., Ltd.</p> <p>"Caloric Restriction and Cancer: From the viewpoint of Anti-Aging Medicine" Moderator: Go Wakabayashi (Japan)</p> <p>Speaker: ■ Yoshikazu Yonei (Japan) "Caloric Restriction and Cancer: From the viewpoint of Anti-Aging Medicine"</p>
14:00-15:00	<p>Sponsored Session Sponsored by Johnson & Johnson</p> <p>Moderator: Takeshi Naitoh (Japan)</p> <p>Speaker: ■ Sayeed Ikramuddin (USA) "Bariatric surgery and Diabetes: Mechanisms of improvement"</p>

15:00-15:45	<p>Special Lecture from Brazil Moderator: Hisahiro Matsubara (Japan)</p> <p>Speaker: ■ Joel Faintuch (Brazil) "Surgery for Obese and Nonobese Diabetics: Worldwide perspectives and Brazilian contributions"</p>
15:45-19:00	<p>National Reports from Asian Pacific Countries Moderator: Pradeep Chowbey (India) Iwao Sasaki (Japan)</p> <p>Panelist:</p> <ul style="list-style-type: none"> ■ Lillian Kow (Australia) Wei-Jei Lee (Taiwan) "National Report from Taiwan (Republic of China)" ■ Mahendra Narwaria (India) ■ Hong Chan Lee (Korea) "Current status of Bariatric Surgery in Korea" ■ Hildegardes C. Dineros (Philippines) "BARIATRIC & METABOLIC SURGERY in the Philippines" ■ Wilfred Mui (Hong Kong) "National report from Hong Kong" ■ Chin Kin Fah (Malaysia) "National Report from Malaysia" ■ Kazunori Kasama (Japan) "National Report on Bariatric Surgery from Japan" ■ Anton Cheng (Singapore) "National report on Surgical Treatment of Obesity and Metabolic Disorder in Singapore" ■ Suthep Udomsawaengsup (Thailand) "National report of treatment of morbid obesity and metabolic disorder from Thailand countries" ■ Barlian Sutuja (Indonesia) ■ Alper Celik (Turkey) "National report of Treatment of Morbid Obesity and Metabolic Disorders from Turkey" ■ Ahmed Al Gaizaie (Saudi Arabia) ■ Joel Faintuch (Brazil) "National report Bariatric Surgery in Brazil: Current status"

Day 3
2011.02.24

Hall #18

Symposium 2

"Metabolic surgery for Asian"

Moderator:
Wei-Jei Lee (Taiwan)
Toru Tani (Japan)

Keynote Lecture:
■ Wei-Jei Lee (Taiwan)
"Metabolic Surgery in Asia"

Panelist:
■ Koji Shirai (Japan)
"Asian particularity on Obesity and Metabolic Disorder"
■ Yosuke Seki (Japan)
"Systemic review of Bariatric and Metabolic Surgery for Asians"

■ Chih Kun Huang (Taiwan)
"Laparoscopic Roux-en-Y Gastric Bypass for Normal Weight Type II Diabetes Mellitus"

■ Suren Ugale (India)
"Ileal Interposition for Control of Type-2 Diabetes"

■ Kazunori Kasama (Japan)
"Laparoscopic Sleeve Gastrectomy with Duodenojejunal Bypass for Type 2 diabetes with BMI under 35 kg/m²"

———— Coffee break ————

■ Kyung Yul Hur (Korea)
"Metabolic Surgery in Korea : Remission of Hyperglycemia with modified Mini-Gastric Bypass for the patients with BMI less than 30 kg/m²"

■ Wilfred Mui (Hong Kong)
"Metabolic Surgery in Hong Kong"

■ Muffazal Lakdawala (India)
"Experience of diabetes surgery in India"

■ Karl Miller (Austria)
"Overview of Metabolic Surgery Worldwide"

Commentator:
Michel Gagner (USA)
Sayeed Ikramuddin (USA)

Sponsored Luncheon Symposium
Sponsored by SUNNY HEALTH CO., LTD

"Cooperation of Surgeon and Physician for Metabolic Surgery -For Excellent and Safe Achievement-"

Moderator:
Koji Shirai (Japan)
Toru Tani (Japan)

7:30-10:30

10:30-13:00

Session 1

"Case conference: Benefit and trouble"

Chair:
Wei-Jei Lee (Taiwan)
Atsunori Kashiwagi (Japan)

Case 1 Sleeve Gastrectomy for DM
Surgeon: Hiroshi Yamamoto (Japan)
Physician: Satoshi Ugi (Japan)

Case 2 Sleeve Gastrectomy for Morbid Obesity
Surgeon: Akira Sasaki (Japan)
Physician: Masaki Endo (Japan)

Case 3 Gastric Banding
Surgeon: Masayuki Ohta (Japan)
Physician: Takayuki Masaki (Japan)

Case 4 Intra-gastric Balloon
Surgeon: Fumihiko Hatao (Japan)
Physician: Yusuke Hada (Japan)

Case 5 LSG+DJB
Surgeon: Yosuke Seki (Japan)
Physician: Masuomi Tomita (Japan)

Commentator:
Lilian Kow (Australia)
Ramen Goel (India)
Toru Tani (Japan)
Koji Shirai (Japan)
Kazunori Kasama (Japan)

Session 2

"For Excellent and Safe Achievement"

Chair:
Lilian Kow (Australia)
Shinichi Okazumi (Japan)

Panelist:
■ Lilian Kow (Australia)
"System of Obesity Surgery: Overview"
■ Chikashi Shibata (Japan)
"Role of Incretins in Metabolic Surgery-Induced remission of Type 2 Diabetes"
■ Tetsuya Nakazato (Japan)
"From the aspect of Mental Health"
■ Atsuhito Saiki (Japan)
"From the aspect of Nutrition; Formula Diet"

16:00-19:30

IFSO-APC Consensus

Moderator:
Wilfred Mui (Hong Kong)
Kazunori Kasama (Japan)

Organizer:
Wei-Jei Lee (Taiwan)
Muffazal Lakdawala (India)

Panelist:
■ Wei-Jei Lee (Taiwan)
"Consensus of Asian Diabetic Surgery Summit (ADSS) and APBSS"

■ Wilfred Mui (Hong Kong)
"Concensus of Diabetic Surgery Summit (DSS)"

■ Mahendra Narwaria (India)
"Consensus of OSSI"

■ Lilian Kow (Australia)
Consensus of OSSANZ National Report from Australia"

■ Isao Kawamura (Japan)
"JSSO Consensus Statement 2010"

■ Muffazal Lakdawala (India)
"ACMOMS I"

Commentator:
■ Karl Miller (Austria)
"Comment from IFSO President"

■ Sanjey Borude (India)
"Comment from IFSO-APC Representative"

■ Sayeed Ikramuddin (USA)

———— Coffee break ————

Voting
■ Voting member

Discussion

Day 4

2011.02.25

Hall #18

Bariatric Training and Education

Moderator:
Suthep Udomsawaengsup (Thailand)
Nobumi Tagaya (Japan)

Keynote Lecture:
■ Karl Miller (Austria)
"Bariatric Training and Education"

Panelist:
■ Seiichi Kitahama (USA)
"Bariatric Surgery Clinical Fellowship in the USA"

■ Benjamin Woolven (Australia)
"Bariatric Fellowship in Australia"

■ Aparna Govil (India)
"Bariatric Training in India"

■ Marcelo Chi-Hsien Lo (Taiwan)
"Bariatric Fellowship Training in a Center of Excellence, Taiwan Experience"

Discussion
"What is the ideal training in Asia?"

8:30-10:15

Banding in Asia

Moderator:
Harry Frydenberg (Australia)
Masayuki Ohta (Japan)

Speaker:
■ Weu Wang (Taiwan)
"Better Short-term Weight Loss for Patients with Group Therapy after Gastric Banding"

■ Masayuki Ohta (Japan)
"Laparoscopic Adjustable Gastric Banding in a Japanese institute"

■ Jimmy So Bok Yan (Singapore)
"Patient Selection for Laparoscopic Adjustable Gastric Banding"

■ Alfred Allen Buenafe (Philippine)
"Status of Lap Banding in the Philippines"

■ Hong Chan Lee (Korea)
"Lap Banding in Korea"

■ Paisal Pongchairerks (Thailand)
"Lap banding in Thailand"

■ Ramen Goel (India)
"Gastric Band in India"

Discussion
"Where should the band stand on in Asia?"

10:15-11:30

Closing Remarks

Isao Kawamura, President, IFSO-APC

11:30-12:00

Day 2
2011.02.23

Hall #3

Allied Health 1

Oral Session 1

Moderator:

Alper Celic (Turkey)

Atsuhito Saiki (Japan)

Speaker:

■ Huai-Ching Kuo

"Cross Validation of the Moorehead-Ardelt Quality of Life Questionnaire II with WHOQOL and SF36 and Clinical Application"

■ Kazuko Sonoda

"Change in Quality of Life at 12 Months after Bariatric Surgery in Morbidly Obese patients"

■ Ya-Wei Huang

"An Individual Surgeon versus a Team Approach: Surgical Outcomes of Laparoscopic Roux-en-Y Gastric Bypass"

■ Eri Kikkawa

"Difference Between Laparoscopic Sleeve Gastrectomy and Roux-en-Y Gastric Bypass Regarding Weight Loss Effect and Amount of Food Intake According to Level of BMI"

■ Mai Yamashita

"Evaluation of the Clinical Pathway for Laparoscopic Bariatric Surgery"

8:30-9:20

Co-morbidity 1

Oral Session 1

Moderator:

Shanker Pasupathy (Singapore)

Yoshimochi Kurokawa (Japan)

Speaker:

■ Daniel C. Wai

"Singaporean Asian Patients have paradoxically higher rates of Vitamin D Deficiency compared to Western patients"

■ Jacob A Chisholm

"A Simple Clinical Scoring System to Identify Patients at Risk of NASH Before the Development of NASH"

■ Yuichi Shinoda

"Bariatric Surgery improves Arterial Stiffness of the patient with Metabolic Syndrome"

■ Sanjay Borude

"Case study : Partial Situs Inversus in a Morbidly Obese Female"

9:30-10:10

Revisional Surgery

Oral Session 1

Moderator:

Sultan Al Temyatt (Saudi Arabia)

Yosuke Seki (Japan)

Speaker:

■ Haider Alshurafa

"Laparoscopic Revisional Gastric Bypass after Open Bariatric Surgeries"

■ alex M.F. heylen

"Revisional Endoscopic Surgery after Gastric Bypass"

■ Abdulsalam S. Al Taie

"Validity of Sleeve Gastrectomy for Band failures"

■ Jean-Philippe M.m.K. Magema

"Laparoscopic Pouch Resizing, New Gastro-Jejunal Anastomosis and Strictly Cardial Adjustable Band Placement for failed Gastric Bypass"

■ Praveen Raj

"Laparoscopic Band Revision to Bypass:A single stage procedure"

■ Praveen Raj

aparoscopic Revisional Roux en Y Gastric Bypass for Weight Recidivism"

■ Sanjay Borude

"Bariatric Revision Surgeries"

10:20-11:20

Metabolic Effect 1

Oral Session 2

Moderator:

Kyung Yul Hur (Korea)

Hiroshi Yamamoto (Japan)

Speaker:

■ Dineros, Hildegardes C.

"Preliminary Case Report on the Change in Metabolic Profile in Non-Obese Type 2 Diabetic Patients treated with Surgery in the Philippines"

■ Suthep Udomsawaengsup

"Metabolic outcomes of Bariatric Surgery: a result from Thai subjects"

■ Hideharu Shimizu

"Comparison Between the Effects of Laparoscopic Sleeve Gastrectomy and Laparoscopic Roux-en-Y Gastric Bypass on Type 2 Diabetes Mellitus in Morbidly Obese Japanese Patients: A Retrospective One-Year Study"

■ Praveen Raj

"Laparoscopic Duodenojejunal Bypass with Sleeve Gastrectomy- A novel procedure for resolution of Metabolic Syndrome in patients with BMI <32.5:"

■ Jayashree Todkar

"Sleeve Gastrectomy : Metabolic and Bariatric Surgery : A blessing for the Asians"

■ Shanker Pasupathy

"Improvement in Type 2 Diabetes Mellitus following Bariatric Surgery in Morbidly Obese individuals"

■ Daehyun Yang

"Duodenojejunal Bypass In Diabetic Gastric Cancer Patients"

15:00-16:10

16:20-17:20

Metabolic Effect 2

Oral Session 2

Moderator:

Sang Kuon Lee (Korea)
Chikashi Shibata (Japan)

Speaker:

- Eduardo G H de Moura
"One year results of an Endoscopic, Duodenal-jejunal Exclusion Device for weight loss and control of Type 2 Diabetes"
- Itzik Harosh
"Enteropeptidase: a gene associated to a Starvation Human Phenotype as a Novel Target for the Treatment Obesity and Type II Diabetes"
- Yuichi Shinoda
"Newly developed profiling of Lipoproteins by PAGE to determine the Heterogeneity of Low-Density Lipoproteins (LDLs)"
- Fumie Ikezawa
"Ileal Interposition improves Glucose Tolerance and Insulin Resistance in Otsuka Long-Evans Tokushima Fatty Rats"
- Hirofumi Imoto
"The effects of Duodeno-jejunal Bypass on Glucose Metabolism in Obese Type 2 Diabetic Rat Model"
- Daniel C. Wai
"Differential increase in HDL-c Post Bariatric Surgery for Singaporean patients according to Glucose Status"

17:30-18:40

Sleeve Gastrectomy

Oral Session 2

Moderator:

Davide Lomanto (Singapore)
Takeshi Togawa (Japan)

Speaker:

- Ser Yee Lee
"Early experience with a Novel Procedure for Obesity: Laparoscopic Sleeve Gastrectomy"
- William V. Braun
"Introduction of Laparoscopic Vertical Sleeve Gastrectomy into Bariatric practice"
- Hideharu Shimizu
"Comparison Between the Results of Laparoscopic Sleeve Gastrectomy and Laparoscopic Roux-en-Y Gastric Bypass for Morbid Versus Super Morbid Obesity"
- Shanker Pasupathy
"Early results from a specialized Metabolic and Bariatric Surgery service"
- Abdulsalam S. Al Taie
"Laparoscopic Sleeve Gastrectomy with a BIB in situ for 14 months"
- Kirsty R. Cattle
"Removal of Stomach Remnant after Laparoscopic Sleeve Gastrectomy"
- Chi-Hsien Lo
"Novel Bariatric Concept:Laparoscopic Adjustable Gastric Banded Plication (LAGBP)"

Day 3
2011.02.24

Hall #3

Allied Health 2

Oral Session 3

Moderator:
Hildegardes C. Dineros (Philippine)
Shinichi Okazumi (Japan)

Speaker:

8:00-9:10

- Toshie Shiraishi
"Anesthetic management of 186 Morbidly Obese patients for Bariatric Surgery"
- Li-Chun Lin
"The Role of Proton Pump Inhibitor in Quality of Nursing Care in Sleeve Gastrectomy"
- Hiroaki Kakiyama
"Economic evaluation of Bariatric Surgery"
- Susan F. Taylor
"Measuring our success: How well do we follow our patients?"

Co-morbidity 2

Oral Session 3

Moderator:
Jayashree Todkar (India)
Takashi Oshiro (Japan)

Speaker:

9:20-10:00

- Abdul S. Bangura
"Is Routine Preoperative Polysomnography Necessary in patients having Bariatric Surgery?"
- Karen E. Gibbs
"Is Routine Preoperative Venous Duplex Screening Necessary for patients having Bariatric Surgery?"
- John Avramovic
"Routine Preoperative Barium Swallow to detect Hiatus Hernia in Bariatric Surgery patients: Is it worthwhile?"
- Karen E. Gibbs
"Is Routine Preoperative Upper Endoscopy Necessary for patients having Bariatric Surgery?"

Complication

Oral Session 3

Moderator:
Jimmy So Bok Yan (Singapore)
Susumu Inamine (Japan)

Speaker:

10:10-11:20

- Leon Cohen
"Outcomes and Options in the management of Leak and Gastric Fistula after Sleeve Gastrectomy"

10:10-11:20

- Takashi Oshiro
"Superior Mesenteric Venous Thrombosis after Revisional Open Sleeve Gastrectomy"
- Shanker Pasupathy
"Staple Line Complications during Bariatric Surgery"
- Haider Alshurafa
"Drains are not necessary in Laparoscopic Gastric Bypass"
- Yong Jin Kim
"Is the Long Staple Line Reinforcement needed or not during Laparoscopic Sleeve Gastrectomy?"
- Abdullah Aldohayan
"The safety and advantages of Applying Clips in Sleeve Gastrectomy"
- Praveen Raj
"Laparoscopic Duodeno-Jejunal Bypass with Sleeve: How we do it and management of a possible complication"

Hall #1

Poster Presentations

- Poster #1 Joao M. Coutinho
"Gastric Sleeve is a single restrictive procedure?"
- Poster #2 Joao M. Coutinho
"Gastric Sleeve as treatment for Morbid Obesity: Analysis of 3 years"
- Poster #3 Yen Hao Su
"Laparoscopic Adjustable Gastric Banding: 7-year results in Taiwan"
- Poster #4 Kuo-Ting Lee
"The experience of Laparoscopic Mini-Gastric Bypass Surgery in single institute of Southern Taiwan"
- Poster #5 Yasuhiro Miyazaki
"The introduction of Laparoscopic Sleeve Gastrectomy: Initial three clinical experiences"
- Poster #6 Evgeny E Semenov
"Sleeve Gastrectomy in combination with Duodeno-Jejunal Bypass. Three-year Period Results"
- Poster #7 Joao M. Coutinho
"A case of migration of Gastric Band"
- Poster #8 Joao M. Coutinho
"Endoluminal Surgery (StomaphyX Device). An alternative to the Revision Surgery?"
- Poster #9 Hiroshi Mikamo
"A successful case of Safety Weight Loss using Formula Diet in Alcoholic Cardiomyopathy with Obesity"
- Poster #10 Joao M. Coutinho
"Gastric Sleeve and Metabolic Syndrome"
- Poster #11 Michael B. Fishman
"Our experience in treatment of Metabolic Syndrome"
- Poster #12 Mao Takahashi
"Irregular CPAP use Induced Visceral Fat Accumulation in Obstructive Sleep Apnea regardless of Daily Sleepiness"
- Poster #13 Miki Sakaue
"Individualized Intervention with Metabolic Stem Cell System after Bariatric Surgery"
- Poster #14 Takashi Yamaguchi
"Diabetic Complications stratified by Past Maximum Body Mass Index"
- Poster #15 Shuji Inada
"Psychosocial Assessments of Japanese Severe Obese Patients before Intra-gastric Balloon Placement Therapy"

7:00-19:00

7:00-19:00	<ul style="list-style-type: none"> ■ Poster #16 Megumi Kanoh "First experience of Laparoscopic Sleeve Gastrectomy for Morbid Obesity in our OR" ■ Poster #17 Hiroshi Gohma "The effects of regular Advice-Messages via to Internet with Cell Phone on Diet using Formula Diet supplements" ■ Poster #18 Tsuguo Nishijima "Hours of Nightly Nasal Continuous Positive Airway Pressure Use is associated with Weight Change in patients with Obstructive Sleep Apnea-Hypopnea Syndrome" ■ Poster #19 Akeo Hagiwara "Successful application of a New Stapler with Reinforcement installed to Sleeve Gastrectomy in Bariatric Surgery" ■ Poster #20 Satoshi Ugi "Enhanced Glucagon-like Peptide (GLP-1) Secretion leads to rapid improvement of Glucose Tolerance and Insulin Secretion after Laparoscopic Sleeve Gastrectomy (LSG)" ■ Poster #21 Daniel Krawczykowski "Duodenal switch for failed Gastric Banding"
------------	---

Pre-Congress Course



The IFSO-APC & JSSO Congress 2011

Precongress Course

Laparoscopic Advanced Suturing and Anastomosis Hands-on Course

February 22, 2011 13:30 ~17:30

"Acquisition of Laparoscopic Advanced Suturing and Anastomosis Skills of GI Tract"

Special Instructor :
Nilton Tokio Kawahara, MD (Brazil)

Instructor :
Eiji Kanehira, MD; Takeshi Naitoh, MD; Kazunori Kasama, MD;
Susumu Inamine, MD; Takahiro Kinoshita, MD; Yosuke Seki, MD



The IFSO-APC & JSSO Congress 2011

Precongress course

Post-graduate Course for Allied Health Professionals

February 22, 2011 14:00 ~17:00

Main Program

- Lilian Kow, MD
"Preoperative Treatment with Very Low Calorie Diet"
- Nick Wray, RD
"Optimising Nutrition after Bariatric Surgery"
- Wendy Brown, MD
"Multidisciplinary Approach in Adolescent Bariatric Surgery"
- Kong-Han Ser, MD
"Taiwan's Experience of Multidisciplinary Approach in Bariatric Surgery"
- Japanese speaker session —
- Atsuhito Saiki, MD
"Obesity Conference; Understanding of Psychological Aspects of Obese Patients are essential for good follow-up after Bariatric Surgery"
- Eri Kikkawa, RD
"The Role of the Dietitian in Bariatric Surgery Team"
- Tetsuya Nakazato, MSW
"Psycho-Social Approach by the Social Worker for Bariatric Patients in Japan : A Model to ensure the success of Bariatric Surgery"
- Takashi Oshiro, MD
"A Multidisciplinary Approach to Obesity Treatment"

General Information



Meeting

JSTO Board Member & JSSO Meeting

Feb 22 (Tue) Room: Hall #3

IFSO-APC Board Meeting (1st)

Feb 22 (Tue) Room: Hall #5

IFSO-APC Board Meeting (2nd)

Feb 25 (Fri) Room: Hall #5



Social Program

Welcome Party (Buffet-style)

Feb 23 (Wed)

Venue: Hall #1

Time: 8:00 – 10:00pm

Cost: free



Gala Dinner

Feb. 24 (Thu)

Venue: Crescent Hall, North Wing

Time: 8:00 – 10:00pm

Cost: Inclusive for delegates, JPY 7,000 for guests



About Rusutsu

Rusutsu Resort is Hokkaido's No.1 ski resort and is only 90 minutes away from New Chitose Airport. There are 37 diverse courses that offer something for everyone from beginners to experts, which make this ski area No.1 in the number of ski trails at a ski area in Hokkaido. The fabulous scenery from the trails of East Mt., West Mt. and Mt. Isola is astounding and the powder snow is waiting for you. It's not only on the ski trails where you can fully enjoy the great nature of winter in Hokkaido as we have various activities such as dog sledding and snowmobiling.

The reason why Rusutsu Resort is chosen by our guests is because it is the No.1 ski area in Hokkaido. We have been highly praised from home and abroad and have been honored with many awards.



Enjoy Hokkaido with Your Family

Rusutsu Resort is a facility where everyone from children to adults can relax and have fun in a safe environment. The ski area is planned so that even beginners can enjoy themselves, and children's facilities such as the Kids' Park and various activities including dog sledding and snowmobiling are available. There is also a day-care center to take good care of the children while the parents enjoy themselves. Wouldn't you like to make fond memories at Rusutsu with your family?



As a Base for Touring Hokkaido


Rusutsu Resort is in a handy location for sightseeing around Hokkaido. Please use Rusutsu as a base for sightseeing by rental car or taxi. Driving through the pastoral scenery and the grand nature of Hokkaido is something incomparable.



WE ASPIRE TO CURE CANCER

さまざまな不安と戦いながら暮らすがん患者さんが、少しでも健やかな毎日を送ることができるように。そして、日々がんに挑み続ける医療関係者のみなさんへ、その情熱の支えになるような治療薬をお届けできるように。いま、私たちは今までの治療薬に加えて、新しい薬剤をお届けすることになりました。「Cure Cancer」という願いを込めて。

「タケダ・オンコロジー」の挑戦は続きます。



タケダ オンコロジー

※「WE ASPIRE TO CURE CANCER」は、ミレニアム社とタケダの企業ミッションです。折り鶴には、タケダの「Cure Cancer」への強い願いが込められています。



LLRH阻害体 マイクロカプセル型徐放性製剤 創薬 処方せん医薬品^{注1)} 薬価基準収載
リュープリン 注射用 3.75
リュープリンSR 注射用キット 11.25
(注射用リュープロレリン酢酸塩)



モルヒネ塩酸塩水和物徐放性カプセル 創薬 麻薬 処方せん医薬品^{注1)} 持続性疼痛治療
パシーフ カプセル
 30mg/60mg/120mg 薬価基準収載



抗悪性腫瘍剤/ヒト型抗EGFR²²⁾モノクローナル抗体 創薬 処方せん医薬品^{注1)} 薬価基準収載
ベクティビックス
 点滴静注100mg パニツムマブ(遺伝子組換え)注



抗悪性腫瘍剤(プロテアソーム阻害剤) 薬価基準収載
ベルケイド 注射用 3mg
VELCADE Injection 一般名:ボルテゾミブ
再薬 処方せん医薬品^{注1)}
 ベルケイド、VELCADEは、ミレニアム・ファーマシューティカल्ズ・インクの登録商標です。
 製造販売元(資料請求先) 提供
 ヤンセンファーマ株式会社 武田薬品工業株式会社
 〒101-0065 東京都千代田区西神田3-5-2 〒640-0845 大阪府中津市津原町7丁目1番1号
 URL: http://www.janssen.co.jp http://www.takeda.co.jp/

注1) 注意—医師等の処方せんにより使用すること
 注2) EGFR: Epidermal growth factor receptor (上皮細胞増殖因子受容体)

●効能・効果、用法・用量、警告、禁忌を含む使用上の注意等は、添付文書をご参照ください。

(資料請求先)
武田薬品工業株式会社 〒540-8645 大阪市中央区道修町四丁目1番1号
<http://www.takeda.co.jp/>

2010年12月作成 (T)



いのちの尊さにこたえます。



「ミラクルをちょうだい」。

年の瀬もおしそめた、ある寒い日のこと。
 創業間もないイーライ・リリー大佐の薬局を訪れた少女は、
 そう言いながら小さな手に握り締めていた
 わずかなお小遣いを差し出しました。
 聞けば、母親が重い病気におかれ、医者も周囲の大人たちも
 「ミラクル(奇跡)だけが頼りだ」と話していたというのです。
 少女の投げかけた一言の重みを、大佐は深く胸に刻みました。
 ここから、迷信でもない、科学に裏づけされた
 「ミラクル」を探し求めるイーライリリーの歩みが始まりました。
 そして、真に価値ある医薬品づくりを目指した
 創業者リリーの熱い想いは、
 130年を経た今日もなお、揺らぐことなく受け継がれています。

イーライリリーは世界140ヵ国以上の国々で、真に価値ある医薬品の提供をめざして活動しています。
 約8,000人の研究開発スタッフがファーストインクラス・ベストインクラスの革新的な医薬品の研究開発に取り組んでいます。

【日本で提供している製品】
 中枢神経領域: ●抗精神病薬 ●抗うつ薬 ●ADHD治療薬
 内分泌・代謝・骨領域: ●抗糖尿病剤 ●遺伝子組換えヒト成長ホルモン製剤 ●骨粗鬆症治療剤
 オンコロジー領域: ●代謝拮抗性抗悪性腫瘍剤

日本イーライリリー株式会社
 〒651-0086 神戸市中央区磯上通7-1-5

リリーの情報はインターネットでご覧になれます。 <http://www.lilly.co.jp/>

Today Astellas is working to meet
unmet medical needs.

All around the world there are diseases
for which no medicine has been developed.

Such unmet medical needs are the battleground of Astellas.

Our mission is to change tomorrow
for millions of lives, one drug at a time.




www.astellas.com/en/

Changing tomorrow



2010年12月作成 (1)



5-HT₃ receptor antagonist

Listed in NHI

Aloxi[®] I.V. injection 0.75mg
Palonosetron injection

Powerful Drug, Prescription drug

*Caution: use it under a prescription of a physician etc.

For Indication, dosage, administration and precautions for use, please refer to the product package insert
Marketed by Taiho Pharmaceutical and request for literature to Taiho Product Information Dept.
TAIHO PHARMACEUTICAL CO., LTD.
1-27, Kandanshiki-cho Chiyoda-ku, Tokyo, 101-8444, Japan TEL.0120-20-4527 FAX.03-3293-2451
<http://www.taiho.co.jp/>




Marketed by
TAIHO PHARMACEUTICAL CO., LTD.

Licensed by
HELSINN Switzerland

2011.1.

Light Weight


重量は従来のメッシュプラグの約50%を実現



さらに進化を遂げたメッシュプラグ

Light PERFIX® Plug

独自の編製法により軽量化かつ適度なコシを実現



Large Pore

編目の大きさは当社従来品の約20倍
術後の違和感を軽減

●メッシュ留置部位の炎症反応
従来品



メッシュの網目にコラーゲンが沈着してブリッジ状に堆積するため、炎症反応が広範囲に及びます。

Light PERFIX® Plug



メッシュの間隙が広いと、コラーゲンとの接点が限られるため、炎症反応の軽減や炎症期間の短縮が期待できます。

Trusted

400万例以上の使用実績に裏付けされた信頼性の高い形状と素材

Technique



内側ペタルを鉗子で把持し、ヘルニア門からLight PerFix Plugを腹腔前腔まで挿入します。

プラグの内側ペタルを結合腱や内腹斜筋またはヘルニア門周囲と縫合固定します。

正しく留置されるとLight PerFix Plugの開放端は腹膜前腔で横筋膜の下で広がります。

ORDERING INFORMATION

■販売名 Bard メッシュ (ライト パーフィックス プラグ)

カタログ番号	サイズ	規格	包装単位
0117050	Sサイズ	H2.5cm×D3.4cm	2個入/箱
0117060	Mサイズ	H3.3cm×D3.9cm	2個入/箱
0117070	Lサイズ	H4.1cm×D4.8cm	2個入/箱
0117080	XLサイズ	H3.8cm×D5.1cm	2個入/箱

承認番号:16000BZY01128000 償還区分:織維布・ヘルニア・形状付加 *すべてのサイズに5.9cm×13.7cmのオンレイパッチが付属しています。

※事前に必ず添付文書を読み使用上の注意等を守って正しくご使用ください。
※製品の仕様・形状等は、改良等の理由により予告なく変更する場合がございますので、あらかじめご了承ください。
※Bard、パード、Perfixは、C.R.Bard社の登録商標です。 ※Devol、デイホールは、DAVOL社の登録商標です。

製造元

DAVOL INC.

製造販売元

株式会社 メディコン

本社 大阪市中央区平野町2丁目5-8(平野町センチュリービル1F)
☎06(6203)6541 http://www.medicon.co.jp



内視鏡下手術にさらなる使いやすさを。

MICROLINE™ から。
SURGICAL

ReNew Family / ML-10 Clip Applier

PENTAX

ペンタックス リニュー R シリーズ 医療機器認証番号: 220AFB2X00124000
ペンタックス リニュー R シリーズ 医療機器認証番号: 220AFB2X00123000
ペンタックス クリップアプライヤー ML-10 (ハンドピース) 医療機器届出番号: TSB1X00253800038
クリップアプライヤー ML-10 (カートリッジ) 医療機器承認番号: 21800B2X10019000

製造販売元 HOYA株式会社
〒161-8525 東京都新宿区中落合2-7-5

問い合わせ先 HOYA株式会社
〒170-0013 東京都豊島区東池袋3-16-3 アーバンネット池袋ビル13F TEL:03-5953-2590 FAX:03-5953-2595



Sunbury River (USA)

For the treatment of abdominal pain and abdomen enlarged feeling

For those who have a pain with chilled abdomen and a feeling of enlarged abdomen



TSUMURA Daikenchuto

Extract Granules for Ethical Use

TJ-100

Effective against abdominal pain and abdomen enlarged feeling associated with an intestinal tract passage disorder¹⁻⁶⁾.

Promotes intestinal movement by the following 3 mechanisms.

- 1) Promotes the acetylcholine release mediated by serotonin type 3 and 4 receptors (*in vitro*, dog)^{7, 8)}.
- 2) Promotes the secretion of motilin that is a hormone to enhance digestive tract movement⁹⁾.
- 3) Direct action mediated by vanilloid receptor on mucosal layer of intestinal tract (*in vitro*)¹⁰⁾.

Increases the blood flow in mucosal layer of intestinal tract (rat)¹¹⁾.

Adverse reactions include hepatic function disorder and jaundice.

Indications

Daikenchuto is indicated for the relief of abdominal cold feeling and pain accompanied by abdominal flatulence.

Dosage and administration

The usual adult dose is 15.0 g/day orally in 2 or 3 divided doses before or between meals. The dosage may be adjusted according to the patient's age and body weight, and symptoms.

Precautions (full text in the package insert is shown)

1. Careful Administration (Daikenchuto should be administered with care in the following patients.) Patients with liver dysfunction [Liver dysfunction may be aggravated.] **2. Important Precautions** (1) When this product is used, the patient's "SHO" (constitution/symptoms) should be taken into account. The patient's progress should be carefully monitored, and if no improvement in symptoms/findings is observed, continuous treatment should be avoided. (2) When this product is coadministered with other Kampo-preparations (Japanese traditional herbal medicines), etc., attention should be paid to the duplication of the contained crude drugs. SHO: The term "SHO" refers to a particular pathological status of a patient evaluated by the Kampo diagnosis, and is patterned according to the patient's constitution, symptoms, etc. Kampo-preparations (Japanese traditional herbal medicines) should be used after confirmation that it is suitable for the identified "SHO" of the patient. **3. Adverse Reactions** This product has not been investigated (drug use investigations, etc.) to determine the incidence of adverse reactions. Therefore, the incidence of adverse reactions is not known. (1) Clinically significant adverse reactions Hepatic dysfunction and jaundice: Hepatic dysfunction, with increased AST(GOT), ALT(GPT), Al-P, and γ -GTP levels, and/or jaundice may occur. The patient should be carefully monitored for abdominal findings. Administration should be discontinued and appropriate therapeutic measures should be taken, if abnormalities are observed. (2) Other adverse reactions 1) Hypersensitivity: Rash, urticaria, etc. may occur. If such symptoms are observed, administration should be discontinued. 2) Gastrointestinal: Abdominal pain, diarrhea, etc. may occur. **4. Use in the Elderly** Because elderly patients often have reduced physiological function, careful supervision and measures such as reducing the dose are recommended. **5. Use during Pregnancy, Delivery or Lactation** The safety of this product in pregnant women has not been established. Therefore, the product should be used in pregnant women, women who may possibly be pregnant only if the expected therapeutic benefits outweigh the possible risks associated with treatment. **6. Pediatric Use** The safety of this product in children has not been established. [insufficient clinical data]

* For other details, please see the package insert of product.

- [References]** 1) Kubo, N. et al. Prog. Med. 1995, 15 (9), p.162. 2) Sugiyama, M. et al. Prog. Med. 1992, 12 (7), p.166. 3) Matsumoto, Y. et al. Chinese Medicine. 1994, 18 (1), p.19. 4) Motoyama, S. et al. Clinical Gynecology and Obstetrics. 2001, 55 (6), p.739. 5) Nicchu, Z. et al. Journal of Traditional Medicines. 1994, 11 (4), p.310. 6) Odaka, T. et al. Clinics in Gastroenterology. 2000, 3 (3), p.338. 7) Shibata, C. et al. Surgery. 1999, 126 (5), p.918. 8) Satoh, K. et al. Digestive Diseases and Sciences. 2001, 46 (2), p.250. 9) Nagano, T. et al. Biol. Pharm. Bull. 1999, 22 (10), p.1131. 10) Nakamura, T. MEDICAL TRIBUNE. 2003, 36 (22), p.33. 11) Murata, B. et al. Life Science. 2002, 70, p.2061.



<http://www.tsumura.co.jp/>

For requesting relevant data and inquiry, please contact Consumer Information Services Center Tsumura & Co. 2-17-11, Akasaka, Minato-ku Tokyo, 107-8521, Japan

KYOWA KIRIN

G-CSF製剤 処方せん医薬品*

گران®シリンジ

75・150・M300

【薬価基準収載】一般名：フィルグラスチム（遺伝子組換え）
 ※注意 - 医師等の処方せんにより使用すること

効能又は効果、用法及び用量、用法及び用量に関連する使用上の注意、禁忌を含む使用上の注意等は製品添付文書をご覧ください。

製造販売元 [資料請求先]
協和発酵キリン株式会社
 東京都千代田区大手町一丁目6番1号 〒100-8165
www.kksmile.com

2009年10月作成
 登録商標

TERUMO®
人にやさしい医療へ

国内初*の消化態食品。



無脂肪・消化態流動食

200kcal/
200mL

パプチャーノ®

■栄養成分 (1パック当たり)

容量	(mL)	200	炭水化物	(g)	42.8
エネルギー	(kcal)	200	糖質	(g)	42.8
たんぱく質	(g)	7.2	食物繊維	(g)	0
脂質	(g)	0	水分	(g)	170

販売者 テルモ株式会社 〒151-0072 東京都渋谷区幡ヶ谷2-44-1

<http://www.terumo.co.jp/terumeal/>

TERUMO、パプチャーノはテルモ株式会社の登録商標です。 ©テルモ株式会社 2007年12月

AJINOMOTO®

ひとを見つめる創薬

The first step in the Ajinomoto Group's philosophy of "working for Life" begins with "Cure and Care for you."

The slogan "Cure and Care for you" represents our commitment to create the pharmaceuticals that can respond to patients' desires. We restlessly strive to contribute to increase of quality of life (QOL) of patients by developing unique new pharmaceuticals that only we can and aim to be an organization that earns the trust and confidence of patients and medical practitioners.



AJINOMOTO PHARMACEUTICALS CO., LTD.

1-1, IRIFUNE 2-CHOME, CHUO-KU, TOKYO 104-0042 JAPAN

ALL03-JB6-0111-TI

stryker®

Endoscopy

Innovation Meets Quality with 3G Full HD Technology

1288 Full High Definition Video System

- 1288 Full HD Video
- LED Technology for light source



1288 Full HD Camera



LED L9000 Light Source

- 3rd Generation Full HD Technology
- LED Technology

Stryker Japan K.K.
2-6-1, Koraku, Bunkyo-ku, Tokyo 112-0004, Japan
<http://www.stryker.co.jp>
<http://www.stryker.com>

経口抗真菌剤 処方せん医薬品*
CAP
イトリゾール®
カプセル50 一般名:イトラコナゾール
薬価基準収載

経口抗真菌剤 処方せん医薬品*
OS
イトリゾール®
内用液1% 一般名:
イトラコナゾール
薬価基準収載

注射用抗真菌剤 処方せん医薬品*
IV
イトリゾール®
注1%[200mg] 一般名:
イトラコナゾール
薬価基準収載


*注意-医師等の処方せんにより使用すること

効能・効果、用法・用量、禁忌を含む使用上の注意等については、添付文書をご参照ください。

製造販売元(資料請求先)

ヤンセン ファーマ株式会社
〒101-0065 東京都千代田区西神田3-5-2
URL:<http://www.janssen.co.jp>

2009年9月



デュロテップ® MTパッチ

デュロテップ® MTパッチ 16.8mg (100µg/hr)	デュロテップ® MTパッチ 12.6mg (75µg/hr)
デュロテップ® MTパッチ 8.4mg (50µg/hr)	デュロテップ® MTパッチ 4.2mg (25µg/hr)

標準大ではありません。

経皮吸収型 持続性疼痛治療剤 劇薬 麻薬 処方せん医薬品*

デュロテップ® MT パッチ 2.1mg
4.2mg
8.4mg
12.6mg
16.8mg

Durotep. MT Patch 一般名: フェンタニル 薬価基準収載

*注意 - 医師等の処方せんにより使用すること

効能・効果、用法・用量、警告・禁忌を含む使用上の注意等については、添付文書をご参照ください。

製造販売元(資料請求先)
ヤンセン ファーマ株式会社
〒101-0065 東京都千代田区西神田3-5-2
URL:<http://www.janssen.co.jp>

2010年11月作成



血漿分画製剤(液状・静注用免疫グロブリン製剤)

献血ウエノグロブリン® IH 5% 0.5g/10mL・1g/20mL
静注 2.5g/50mL・5g/100mL

Venoglobulin IH 5% (生物学的製剤基準 ポリエチレングリコール処理免疫グロブリン)

薬価基準収載


特定生物由来製品 処方せん医薬品 (注意:医師等の処方せんにより使用すること)



※効能・効果、用法・用量、禁忌・原則
禁忌を含む使用上の注意等については、
添付文書をご参照ください。

製造販売元 (資料請求先)
株式会社ベネシス
大阪市中央区北浜 2-6-18
販売
田辺三菱製薬株式会社
大阪市中央区北浜 2-6-18

VGX-2010年11月作成



β-ラクタマーゼ阻害剤配合抗生物質製剤

処方せん医薬品

薬価基準収載

ゾシン® 静注用 2.25/4.5
ZOSYN® 注射用タゾバクタムナトリウム・ピペラシリンナトリウム
(略号 TAZ/PIPC)

注)注意—医師等の処方せんにより使用すること

「効能又は効果」、「用法及び用量」、「禁忌を含む使用上の注意」、
「効能又は効果に関連する使用上の注意」、「用法及び用量に
関連する使用上の注意」については添付文書をご覧ください。

発売 [資料請求先]
大正富山医薬品株式会社
〒170-8635 東京都豊島区高田3-25-1

開発・製造販売
大鵬薬品工業株式会社
東京都千代田区神田錦町1-27

開発
富山化学工業株式会社
〒160-0023 東京都新宿区西新宿3-2-5

ZSNB52 2010.10

元気です。

It's Active

毎日を元気に、健やかに。

Acinon®

H₂受容体拮抗剤(ニザチジン製剤)薬価基準収載

アシンン錠75mg アシンン錠150mg

●効能・効果、用法・用量、使用上の注意等の詳細については添付文書をご参照ください。

(製造販売元) 〒103-8351 東京都中央区日本橋小舟町10-11
ゼリア新薬工業株式会社
(資料請求先) 医薬マーケティング部 ☎03(366)110277



■効能又は効果、用法及び用量、警告、
禁忌を含む使用上の注意等については、
製品添付文書をご参照ください。

尿酸排泄薬 創薬、処方せん医薬品

ユリノーム® 錠 25mg/50mg

URINORM Tab. 25mg・50mg

[薬価基準収載]

ベンズブロマロン製剤

注)注意—医師等の処方せんにより使用すること

製造販売元
鳥居薬品株式会社
〒103-8439 東京都中央区日本橋本町3-4-1
<http://www.torii.co.jp>

資料請求先
鳥居薬品株式会社 お客様相談室
TEL 0120-316-834 FAX 0120-797-335

2010年5月作成



Prescription drug (Caution: Use only as directed by a physician.)
Proton Pump Inhibitor (Listed on the NHI Drug Tariff)

Pariet®

10mg tablets
20mg tablets
(Sodium Rabeprazole Preparation)

- For "Indications", "Dosage and Administration", and "Precautions including Contraindications", Please refer to the package insert.

Manufactured and Marketed by
Eisai Eisai Co., Ltd.
6-10, Koishikawa 4-chome, Bunkyo-ku, Tokyo

Further information is available on your request:
CUSTOMER INFORMATION SERVICE

PRT1009M11



KYOWA KIRIN


G-CSF製剤 処方せん医薬品*

グラノシリンジ®

75・150・M300

【薬価基準収載】 一般名: フィルグラステム (遺伝子組換え)
※注意 - 医師等の処方せんにより使用すること

製造販売元 [資料請求先]
協和発酵キリン株式会社 効能又は効果、用法及び用量、用法及び用量に関連する使用上の注意、禁忌を含む使用上の注意等は製品添付文書をご覧ください。 2009年10月作成
東京都千代田区大手町一丁目6番1号 〒100-8185 www.kksmile.com (登録商標)



「アボットは栄養のグローバル・リーディング・カンパニーです。」

バナラ風味

糖質の量と質に配慮しました

低GL (Glycemic Load)

原産国: オランダ

栄養機能食品 (亜鉛・銅・ビタミンC)

グルセルナ®-Ex

Glucerna®-Ex

食生活は、主食、主菜、副菜を基本に、食事のバランスを。

アボット ジャパン株式会社 **Abbott**
A Promise for Life
輸入先: 東京都港区六本木 1-9-9
お問い合わせ: 資料請求先
くすり相談室: 東京都港区三田 3-5-27 フリーダイヤル 0120-964-80 2009年4月作成



血漿分画製剤 (特定生物由来製剤) 処方せん医薬品*

【献血】 静注用 人免疫グロブリン製剤

献血ベニロン®-I

(乾燥スルホ化人免疫グロブリン) 【薬価基準収載】
生物学的製剤基準 注) 注意 - 医師等の処方せんにより使用すること

静注用	500mg
静注用	1000mg
静注用	2500mg
静注用	5000mg

販売 製造販売
TEIJIN 帝人ファーマ株式会社 **化血研** 化学血漿製剤研究所
〒100-8585 東京都千代田区麹町3丁目2番1号 〒860-8568 熊本県大津一丁目6番1号
資料請求先: 帝人ファーマ (株) 資料請求部 資料請求先: 医薬情報部 電話 1 課

「効能・効果」「用法・用量」「禁忌(原則禁忌を含む)」「使用上の注意」等については、製品添付文書をご参照ください。

VEN906(MP)1004 2010年6月作成

人も地球も健康に
Yakult

薬価基準収載

抗悪性腫瘍剤（イリノテカン塩酸塩水和物）
劇薬・処方せん医薬品※

カンプト® 点滴静注 40mg
100mg

抗悪性腫瘍剤（オキサリプラチン）
毒薬・処方せん医薬品※

エルプラット® 点滴静注液 50mg
100mg

遺伝子組換えヒトG-CSF誘導体製剤
（ナルトグラスチム（遺伝子組換え））
処方せん医薬品※

ノアアップ® 注 25 100
50 250

活性型葉酸製剤（レボホリナートカルシウム）
処方せん医薬品※

レボホリナート 点滴静注用 25mg
100mg 「ヤクルト」

5-HT₂受容体拮抗型制吐剤（インジセトロン塩酸塩）
劇薬・処方せん医薬品※


シンセロン® 錠 8mg

※注意—医師等の処方せんにより使用すること

●「効能・効果」、「用法・用量」、「警告・禁忌を含む使用上の注意」等については添付文書をご参照ください。

〈資料請求先〉 **株式会社ヤクルト本社**

〒104-0061 東京都中央区銀座7-16-21 銀座木挽ビル
☎0120-589601（医薬学術部 ぐすり相談室） 2010年12月作成



ニューキノロン系経口抗菌剤
アベロックス® 錠 400mg
Avelox® モキシフロキサシン塩酸塩錠 [薬価基準収載]
劇薬、処方せん医薬品※ [注] 注意—医師等の処方せんにより使用すること

ニューキノロン系注射用抗菌剤
シプロキサゾン® 注
200mg, 300mg CPFX シプロフロキサゾン [薬価基準収載]
処方せん医薬品 注意—医師等の処方せんにより使用すること

効能・効果、用法・用量、禁忌、使用上の注意等につきましては、製品添付文書をご参照ください。

資料請求先

バイエル薬品株式会社
大阪市北区梅田2-4-9 〒530-0001
<http://www.bayer.co.jp/byl>



Bayer HealthCare
Bayer Schering Pharma

(2010年11月作成)

AVX-10-4052



高カロリー輸液用 総合ビタミン・糖・アミノ酸・電解質液 [薬価基準収載]

フルカリック® 1号 輸液
2号 輸液
3号 輸液

FULCALIQ® 1-2-3 田辺三菱製薬㈱・テルモ㈱共同開発品
[処方せん医薬品]

[注] 処方せん医薬品；注意—医師等の処方せんにより使用すること

※効能・効果、用法・用量、警告・禁忌を含む使用上の注意等については、製品添付文書をご覧下さい。

製造販売元（資料請求先）
TERUMO®
テルモ株式会社
東京都渋谷区鎌倉2-44-1
<http://www.terumo.co.jp/>

販売元（資料請求先）
田辺三菱製薬株式会社
大阪市中央区北浜2-6-18

FULCALIQ、フルカリックは田辺三菱製薬株式会社の登録商標です。 2009年11月作成

がん疼痛治療剤 [薬価基準収載]
トラマール® カプセル 25mg
50mg
Tramal® Capsules 25mg・50mg
トラマドール塩酸塩製剤

劇薬、処方せん医薬品（注意—医師等の処方せんにより使用すること）

●「効能・効果」、「用法・用量」、「禁忌を含む使用上の注意」、「効能・効果に関連する使用上の注意」、「用法・用量に関連する使用上の注意」等につきましては、製品添付文書をご参照ください。



新発売

製造販売元（資料請求先：学術部）
日本新薬株式会社
〒601-8550 京都市南区吉村院西ノ庄門口町14

がん制圧への挑戦

Extending and Enhancing Human Life
Bristol-Myers K.K.

ブリistol・マイヤーズは、医療に携わる皆様と共にかん制圧を目指します。



ブリistol・マイヤーズ株式会社

資料請求先:ブリistol・マイヤーズ株式会社 学術情報支援室
〒163-1328 東京都新宿区西新宿6-5-1 Tel:03(5323)8346

STERIS®



The STERIS®5085/5085 SRT



JARIT®


JARIT offers a comprehensive line of high-quality surgical instruments for Bariatric Surgery. As the demand continues to grow for surgical instruments for both open and laparoscopic surgical approaches, JARIT includes instruments to support the techniques involved in these challenging surgical procedures.



Your patients are heavier than ever.

Our higher weight limit accommodates today's heavier patients and increased bariatric surgeries. Both the 5085 and 5085 SRT provide an exceptionally low height for MIS, robotic and bariatric techniques, without sacrificing the height needed for orthopedic and cardiac procedures.

AMCO



EPA製剤

エパテルS 300
600
900

日局 イコサバント酸エチル・軟カプセル剤 薬価基準収載

EPA製剤

エパテル カプセル 300

日局 イコサバント酸エチル・軟カプセル剤 薬価基準収載

製造販売元 <資料請求先>

※「禁忌」、「効能・効果」、「用法・用量」、「使用上の注意」等の詳細は添付文書をご参照下さい。


エパテルS300
エパテルS600
エパテルS900



持田製薬株式会社
東京都新宿区四谷1丁目7番地
☎0120-189-522(学術) 〒160-8515

2010年7月作成 (N13/16)

MOHRUS® PAP



Hisamitsu®

経皮鎮痛消炎剤 ケトプロフェン貼付剤

(薬価基準収載)

モーラス® パップ® 60mg

●効能・効果、用法・用量、禁忌を含む使用上の注意等については製品添付文書をご参照下さい。

製造販売元 久光製薬株式会社 〒841-0017 鳥栖市田代大官町408

資料請求先: 学術部 〒100-6221 東京都千代田区丸の内1-11-1

2010年12月作成



Gastroprokinetic agent _____ The NHI price is listed for reimbursement
Designated agent

GASMOTIN[®] Tablets 5mg·2.5mg
Powder
Mosapride Citrate Hydrate

Please refer to package inserts for "Indication",
"Dosage and administration" and "Contraindication"



a reference connected with products

Drug information center

TEL 0120-034-389

a receipt time: MON~FRI 9:00~18:30(exclude national holiday)
[medical information site] <http://ds-pharma.jp>

Manufactured and Distributed by (For more information)
Dainippon Sumitomo Pharma Co.,Ltd.
6-8,Doshomachi 2-chome,Chuo-ku,Osaka, 541-0045,Japan

2011.1



食事管理や減量が必要な 肥満症の患者様に マイクロダイエット

特徴

摂取カロリーの制限を必要とする肥満症の方のために開発された食品です。

1食に必要な栄養素を必要十分に含んだフォーミュラ(規格)食品です。

マイクロダイエットはドリンク1食わずが約170kcalです。

日本では過去20年以上、使用されています。

国内では600以上の専門機関で採用されています。



【肥満症とは】
日本肥満学会では、その健康障害として、①動脈硬化性心臓病、②脂質代謝異常、③高血圧、④糖尿病、⑤高尿酸血症・痛風、⑥脂肪肝、⑦冠動脈疾患、⑧脳梗塞、⑨骨関節疾患、⑩睡眠時無呼吸症候群・Oxycokak症候群、⑪閉経異常 一を具体的に挙げられています。 ※肥満判定 2000.6.11第2版。

【資料請求・お問い合わせ】 サニーヘルス株式会社 メディカル営業部
東京本社 〒100-0026 東京都中央区日本橋兜町9番8号 中島ビル6階 TEL:03-6701-3010 FAX:03-6701-3020



5-HT₂ブロッカー 薬価基準収載
アンプラーグ[®] 錠 50mg・100mg
細粒 10%
ANPLAG[®] Tablets, Fine granules (サルボグレラート塩酸塩 錠・細粒)

●効能・効果、用法・用量、禁忌を含む使用上の注意等については、添付文書をご参照ください。



製造販売元(資料請求先)
田辺三菱製薬株式会社
大阪市中央区北浜2-6-18

2010年12月作成